

Profile KOZMA-22

Ref. A00019

NEW



IP20

IP65



- Mounting to 12,5 mm - 0.50" drywall
- Compact dimensions – no collision with ceiling structure
- Non visible aluminum elements
- Line of light flush with the surface

APPLICATION

- main and decorative lighting


MOUNTING

- in drywall, with mounting adhesive

ADDITIONAL INFORMATION

- in order to protect the lighting fixture during installation, a TECH-KA protective insert should be used
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Color	 silver non anodized
Possible fixture IP	20, 65
Possible fixture shapes	linear, polygonal
Profile cross-section	rectangular
Width	66.8 mm
Height	15 mm
Maximum length on request	6 m
LED gluing width A	24 mm
Number of LED strips A (8 mm wide)	2
Width of the glow	22 mm
Max power of a single KLUŚ LED strip	19.2 W/m
Possibility of obtaining a line of light	yes
Building type	Commercial, Residential, Retail, Entertainment/ Arts, HoReCa object
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Mounting to drywall	yes
To cover with plaster	yes




Length	Ref
1000 mm	A00019N_1
2005 mm	A00019N_2
3010 mm	A00019N_3

Profile KOZMA-22

Ref. A00019

Wire out back of extrusion	yes
----------------------------	-----

SAMPLE PROJECTS




RELATED ACCESSORIES > COVERS

NAME			MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
Cover BENCO-22	NEW		silicon	62 %	frosted	B17209F
				65 %	frosted	B17011F
Cover HS-22			PC	88 %	clear	B17011C
				90.5 %	microprism	B17011M
Cover LIGER-22			PC	22 %	black	B17032B
				70 %	satin	B17032S
Cover G-22S			PMMA	15 %	black	B17013B
				86 %	satin	B17013S
				89 %	semi-transparent	B17013T
			PMMA	20 %	black	B17006B
Cover G-22R				71 %	satin	B17006S
				89 %	semi-transparent	B17006T
				94 %	clear	B17006C


RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
End cap GIZA-LL	ABS	 black	C24281C07
		 caramel (NCSS3030-Y60R)	C24281L14
		 gray	C24281C02
		 light sage (NCSS2010-G50Y)	C24281L12
		 pastel blue (NCSS2010-B)	C24281L13
		 sand (NCSS2010-Y30R)	C24281L11
		 white	C24281C10

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS



CONNECTOR
ZM-Y



CONNECTOR
ZM-X




CONNECTOR
ZM-T



CONNECTOR
ZM-PION



CONNECTOR
ZM



CONNECTOR
ZM-NA

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > TECHNICAL AND PROTECTIVE INSERTS



PROTECTIVE INSERT

TECH-22
C24531C02